






Easy honeycomb processing

The comprehensive tooling range for machining honeycomb panels


Honeycomb panel – suitable tools for each working step




A requirement for todays wood derived materials is to reduce the net weight but with high stability. Honeycomb structures meet these objectives and are being used more frequently in furniture and interior construction. Honeycombs reduce raw material costs, increase energy efficiency in production and reduce logistics costs.


Honeycomb panel with stable surface layers and a honeycomb core are a high tech product and a material of the future. They are easier to process compared to other wood derived materials. Depended on the construction they have special requirements for tools and tooling systems.

Leitz has the expert knowledge to saw, profile, boe, hog and edge honeycombs. The cutting materials and geometries of selected Leitz tools are designed to meet the requirements for the wood derived materials processed for the surface-and honeycombs.



Perfected honeycomb processing with through feed technology





Edge finishing with i-system

Profile scrapers

1 Scoring

- Tear free scoring with feed
- Scoring depth 1.5 to 2.0 mm
- High concentricity

2 DT Compact hogger

- Special cutting geometry for tear free edges and prevention of damaging the honeycomb
- Increased chip collection efficiency with DFC[®] technology
- Adjusted cutting geometry to the customer's material specification gives the most efficient solution

3 Jointing cutter - WhisperCut

- Unique tooling system with replaceable diamond cutting edges for maximum efficiency
- Noise reduced design for low noise processing
- Reusable Aluminium tool body to reduce weight, cost and save machines power
- Also available as a multipart tool

4 Honeycomb profiling/milling

- Modular construction for all panel thicknesses and glue types
- Economic solution by combining diamond and HW tools
- Optional partial or full profiling/milling of the honeycomb with/without jointing the cover layers

5 Trim saws

- Noise reduced design
- Special cutting geometry to avoid damage when breaking through


6 Edge finishing with i-system

- Maximum chip collection efficiency (> 95%) as tool and extraction hood operate as a single unit
- Energy saving solution as reducted extraction requirement

7 Leitz profile scrapers

- Optimised tool technology for high quality furniture parts
- Anti creasing design for processing any edge

Drilling and edging





HW-solid dowel drills

- Maximum efficiency
- High stability
- Optimised cutting geometry with shear cut for tear free holes



Routers

- Cutting lengths for panels up to 100 mm thickness
- Optimised chip flow and a smooth cut from DFC[®] technology



HW-solid hinge boring bits

- Maximum quality to the hole side wall
- Tear free edge to bore



Direct edging




Bolt insertion technique



HW-solid drill pins

- Long performance time
- Large resharpening area



Double Edge



Support Edge

Leitz is your competent partner



Leitz offers partnership and market leading tool knowledge and technology offering 3 components for your success:

- Innovative tooling systems, resource saving plus enhanced quality for better production
- Bespoke, modular or comprehensive Tool Management for enhanced efficiency
- Excellent service, reliable, near to customers all around the world

1.500 05/2012 Subject to changes prior to technical developments.

Leitz GmbH & Co. KG Leitzstraße 2 73447 Oberkochen, Germany Postfach 1229 73443 Oberkochen, Germany Tel. +49 (0) 73 64/95 00 Fax +49 (0) 73 64/95 06 62 leitz@leitz.org www.leitz.org

